

## NOTIZIE BIBLIOGRAFICHE

**Nome e cognome:** Bianca Maria Marchetti

**Luogo e data di nascita:** Roma, 3 settembre 1952

**Posizione attuale:** Professore Associato di FARMACOLOGIA  
Conseguita Abilitazione Scientifica Nazionale  
Professore Ordinario (D.D.1532/2016)

**Indirizzo attuale :** Dipartimento di Scienze Biomediche e  
Biotecnologiche (BIOMETEC),  
Scuola di Medicina e Chirurgia,  
Universita degli Studi di Catania  
Via Santa Sofia 64, 95125 Catania  
Tel. 3355722698  
e-mail: [bianca.marchetti@unict.it](mailto:bianca.marchetti@unict.it)  
[biancamarchetti@libero.it](mailto:biancamarchetti@libero.it)

### Indicatori bibliometrici:

**Scopus ID: 7006359641, h-index: 35, Total citatons: 3603**

### Pubblicazioni Caratterizzanti

- 1) **Marchetti B**, Morale MC, Testa N, Tirolo C, Caniglia S, Amor S, Dijkstra CD, Barden N. Stress, the immune system and vulnerability to degenerative disorders of the central nervous system in transgenic mice expressing glucocorticoid receptor antisense RNA. *Brain Res Brain Res Rev.* 2001 Nov;37(1-3):259-72. , **IF:6,872**
- 2) **Marchetti B**, Morale MC, Brouwer J, Tirolo C, Testa N, Caniglia S, Barden N, Amor S, Smith PA, Dijkstra CD (2002). Exposure to a dysfunctional glucocorticoid receptor from early embryonic life programs the resistance to experimental autoimmune encephalomyelitis via nitric oxide-induced immunosuppression. *J Immunol.* 2002 Jun 1;168(11):5848-59. , **IF:6.0**
- 3) Gennuso F, Ferneti C, Tirolo C, Testa N, L'Episcopo F, Caniglia S, Morale MC, Ostrow JD, Pascolo L, Tiribelli C, **Marchetti B.** (2004) Bilirubin protects astrocytes from its own toxicity by inducing up-regulation and translocation of multidrug resistance-associated protein 1 (Mrp1). *Proc Natl Acad Sci U S A* 101(8):2470-5. , **IF: 10.452**
- 4) (2004) Glucocorticoid receptor deficiency increases vulnerability of the nigrostriatal dopaminergic system: critical role of glial nitric oxide. *FASEB J.* Jan;18(1):164-6. Epub 2003 Nov 20. , **IF: 6.820**
- 5) **Marchetti B** and Abbracchio MP. To be or not to be (inflamed)--is that the question in anti-inflammatory drug therapy of neurodegenerative disorders? (2005) *Trends Pharmacol Sci.* 2005 Oct; 26(10):517-25. Review. , **IF: 11.840**
- 6) **Marchetti B**, Serra P-A, Tirolo C, L'Episcopo F, Caniglia S, Gennuso F, Testa N, Miele E, Desole MS, Barden N, Morale MC (2005a). Glucocorticoid receptor-nitric oxide crosstalk and vulnerability to experimental Parkinsonism: pivotal role for glia-neuron interactions. *Brain Res Reviews* 48/2: 302-321. , **IF: 6.402**

- 7) **Marchetti B**, Kettenmann H, Streit WJ (Eds) (2005b) Glia-neuron crosstalk in neuroinflammation, neurodegeneration and neuroprotection. *Brain Res Reviews* Special Issue vol 48/2: 129-408. , **IF: 6.402**
- 8) Sotgiu S, Zanda B, **Marchetti B**, Fois ML, Arru G, Pes GM, Salaris FS, Arru A, Pirisi A, Rosati G. Inflammatory biomarkers in blood of patients with acute brain ischemia. *Eur J Neurol*. 2006 May;13(5):505-13. , **IF: : 3.956**
- 9) Morale MC, Serra PA, L'Episcopo F, Tirolo C, Caniglia S, Testa N, Gennuso F, Giaquinta G, Rocchitta G, Desole MS, Miele E, **Marchetti B**. (2006) Estrogen, neuroinflammation and neuroprotection in Parkinson's disease: glia dictates resistance versus vulnerability to neurodegeneration. *Neuroscience*. 2006;138(3):869-78. Epub 2005 Dec 5. Review, , **IF: : 3.427**
- 10) Morale MC, L'Episcopo F, Tirolo C, Giaquinta G, Caniglia S, Testa N, Arcieri P, Serra P-A, Lupo G, Alberghina M, Harada N, Honda S, Panzica GC, and **Marchetti B**. (2008) Loss of Aromatase cytochrome P450 function as a risk factor for Parkinson's disease ? *Brain Res. Reviews*, doi: 101016/j.brainresrev.2007.10.011, , **IF: 6.402**
- 11) L' Episcopo F, Tirolo C, Testa N, Caniglia S, Morale MC, **Marchetti B**. (2010). Glia as a turning point in the therapeutic strategy of Parkinson's disease. *CNS Neurol Disord Drug Targets*. 2010 Jul;9(3):349-72. , **IF: 3.618**
- 12) L'Episcopo F; Tirolo C; Testa N; Caniglia S; Morale MC, Impagnatiello F & **Marchetti B**. Switching the Microglial Harmful Phenotype Promotes Lifelong Restoration of Substantia Nigra Dopaminergic Neurons from Inflammatory Neurodegeneration in Aged Mice. *Rejuvenation Res*. 2011;14( 4): 411-424. , **IF: 3.826**
- 13) L'Episcopo F, Tirolo C, Caniglia S, Testa N, Serra PA, Impagnatiello F, Morale MC, **Marchetti B**. Combining nitric oxide release with anti-inflammatory activity preserves nigrostriatal dopaminergic innervation and prevents motor impairment in a 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine model of Parkinson's disease. *J of Neuroinflam*. 2010b; 7:83. , **IF: 5.785**
- 14) L'Episcopo F, Tirolo C, Testa N, Caniglia S, Morale MC, Cossetti C, D'Adamo P, Zardini E, Andreoni L, Ihekwa AE, Serra PA, Franciotta D, Martino G, Pluchino S, and **Marchetti B**. Reactive astrocytes and Wnt/ $\beta$ -catenin signaling link nigrostriatal injury to repair in 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine model of Parkinson's disease. *Neurobiol of Dis*. 2011; 41:508-527. , **IF: 5.403**
- 15) L'Episcopo F, Serapide M F, Tirolo C, Testa N, Caniglia S, Morale MC, Pluchino S, and **Marchetti B**. A Wnt1 regulated Frizzled-1/ $\beta$ -catenin signaling pathway as a candidate regulatory circuit controlling mesencephalic dopaminergic neuron-astrocyte crosstalk: Therapeutical relevance for neuron survival and neuroprotection. *Molecular Neurodegeneration*. 13:6-49. , **IF: 6.510**
- 16) L'Episcopo F, Tirolo C, Testa N, Caniglia S, Morale MC, Serapide MF, Deleidi M, Pluchino S, **Marchetti B**. (2012). Plasticity of subventricular zone neuroprogenitors in MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine) mouse model of Parkinson's disease involves crosstalk between inflammatory and Wnt/ $\beta$ -catenin signaling pathways: functional consequences for neuroprotection and repair. *J. Neurosci*. 2012;32:2062-2085. , **IF: 6.908**
- 17) L'Episcopo F, Tirolo C, Testa N, Caniglia S, Morale MC, Impagnatiello F., Pluchino S., **Marchetti B**. (2013) Aging-induced Nrf2-ARE pathway disruption in the subventricular zone drives neurogenic impairment in parkinsonian mice via PI3K-Wnt/ $\beta$ -catenin dysregulation. *J Neurosci* 3:1462-85. , **IF: 6.4**
- 18) **Marchetti B**, Pluchino S. Wnt your brain be inflamed? Yes, it Wnt! (2013). *Trends in Mol Med* 19:144-56. , **IF: 10.11**

- 19) **Marchetti B**, L'Episcopo F, Morale MC, Tirolo C, Testa N, Caniglia S, Serapide M., Pluchino S. (2013). Uncovering novel actors in astrocyte-neuron crosstalk in Parkinson's disease: The Wnt/ $\beta$ -catenin signaling cascade as the common final pathway for neuroprotection and self-repair. **European J Neurosci** 37:1550-63. , **IF: 3.669**
- 20) L'Episcopo F, Tirolo C, Caniglia S, Testa N, Morale MC, Serapide MF, Pluchino S & **Bianca Marchetti** (2014). Targeting Wnt signaling at the neuroimmune interface in dopaminergic neuroprotection/repair in Parkinson's disease. In "Wnt signaling cascades in neurodevelopment, neurodegeneration and regeneration", **J Mol Cell Biol, Special Issue**, Vol 6(1):13-26. , **IF: 6.870**
- 21) L'Episcopo F, Tirolo C, Testa N, Caniglia S, Morale MC, Serapide MF, Pluchino S, & **B Marchetti** (2014). Wnt/ $\beta$ -catenin signaling is required to rescue midbrain dopaminergic progenitors and promote neurorepair in ageing mouse model of Parkinson's disease. **Stem Cells** 32(8): 2147-63. , **IF: 6.523**
- 22) Harvey K & **Marchetti B** (2014) Editorial: "Regulating Wnt signalling, a strategy to prevent neurodegeneration and induce regeneration. In "Wnt signaling cascades in neurodevelopment, neurodegeneration and regeneration", **J Mol Cell Biol**, Special Issue, Vol 6(1): 1-2. , **IF: 6.870**
- 23) Peruzzotti-Janetti, Donegà M, Giusto E, Mallucci G, **Marchetti B**, Pluchino S. (2014). The role of the immune system in central nervous system plasticity after acute injury. **Neuroscience** 2283C: 210-221. , **IF: 3.357**
- 24) L'Episcopo F, Drouin-Ouellet J, Tirolo C, Pulvirenti A, Giugno R, Testa N, Caniglia S, Serapide MF, Cisbani G, Barker RA, Cicchetti F, & **Marchetti B**. [GSK-3 \$\beta\$ -induced Tau pathology drives hippocampal neuronal cell death in Huntington's disease: involvement of astrocyte-neuron interactions.](#) *Cell Death Dis.* 2016 Apr 28;7:e2206. doi: 10.1038/cddis.2016.104. , **IF: 5.378**
- 25) L'Episcopo F, Tirolo C, Serapide MF, Caniglia S, Testa N, Leggio L, Vivarelli S, Iraci N, Pluchino S & **Marchetti B** (2018). Microglia Polarization, Gene-Environment Interactions and Wnt/ $\beta$ -Catenin Signaling: Emerging Roles of Glia-Neuron and Glia-Stem/Neuroprogenitor Crosstalk for Dopaminergic Neurorestoration in Aged Parkinsonian Brain. *Front. Aging Neurosci.* 10:12. doi: 10.3389/fnagi.2018.00012. **IF: 4.504**
- 26) Leggio L, Vivarelli S, L'Episcopo F, Tirolo C, Caniglia S, Testa N, **Marchetti B**, Iraci N. (2017) [microRNAs in Parkinson's Disease: From Pathogenesis to Novel Diagnostic and Therapeutic Approaches.](#) **Int J Mol Sci.** Dec 13;18(12). pii: E2698. doi: 10.3390/ijms18122698. **IF: 3.226**
- 27) L'Episcopo F, Tirolo C, Peruzzotti-Janetti L, Serapide MF, Testa N, Caniglia S, Balzarotti B, Pluchino S & **Marchetti B**. (2018) Neural stem cell grafts promote astroglia-driven neurorestoration in the aged Parkinsonian brain via Wnt/ $\beta$ -catenin signalling" (*Stem Cells*, in press). **IF: 5.6**
- 28) **Marchetti B** Wnt/ $\beta$ -Catenin Signaling Pathway Governs a Full Program for Dopaminergic Neuron Survival, Neurorescue and Regeneration in the MPTP Mouse Model of Parkinson's Disease. **Int J Mol Sci.** 2018 Nov 24;19(12). pii: E3743. doi: 10.3390/ijms19123743. **IF: 3.226**